UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 4
SAM NUNN ATLANTA FEDERAL CENTER
61 FORSYTH STREET, S.W.
ATLANTA, GEORGIA 30303

August 8, 2000

4WD-FFB

<u>CERTIFIED MAIL</u>
<u>RETURN RECEIPT REQUESTED</u>

Mr. Channing Blackwell
Department of the Navy - Atlantic Division
Naval Facilities Engineering Command
 Code 1823
Norfolk, Virginia 23511-6287

SUBJ: MCB Camp Lejeune
      Draft Site Management Plan
      Fiscal Year 2001

Dear Mr. Blackwell:

   The Environmental Protection Agency (EPA) has completed its review of the above subject document. Comments are enclosed.

   If there are any questions, I can be reached at (404) 562-8538.

Sincerely,

Gena D. Townsend
Senior Project Manager

Enclosure

cc: Dave Lown, NCDENR
    Rick Raines, MCB Camp Lejeune
    Kirk Stevens, LANTDIV

Comments:

1. Page 1-2: Remove HRS score. (Once a site is on the NPL, the score is irrelevant.)

2. Figure 1-1: Figure needs to be updated. It only shows locations for 14 operable units, (OUs), there are now 20 OUs.

3. Page 2-1, first paragraph: Correct OU number. There are now 20 instead of 19.

4. Page 2-1, Section 2.1: Add IROD was signed 9/23/92 for shallow aquifer.

5. Page 2-12, Section 2.10: Change date to Fiscal Year 2002 and add IROD dates; 9/15/94 & 9/22/95.

6. Page 2-8, Section 2.6.5: Remove from OU6. Site 86 is now OU20.

7. Page 2-12, Section 2.10.1: Add description of second IROD signed 9/95 for shallow groundwater.

8. Page 2-14, Section 2.12: Add the amended ROD date of 6/20/00.

9. Page 2-14, Section 2.12.1, last paragraph: Use the appropriate dates.

10. Page 2-17, Section 2.16.1, last paragraph: Change EE/CA dates to Fiscal Year 2001.

11. Page 2-20, Section 2.20.1: The recommendation for Site 10 was an institutional control. Verify that field work has been completed.

12. Table 2-1: Remove Site 86 from OU6 and create an OU20.

13. Table 2-2: Change ROD signature date for Site 78 to 9/23/92.

14. Table 3-5: Move site 86.

15. Table 3-15, OU 19: Adjust schedule not funded for FY01.

16. Page 4-2, Section 4.9: Change to non-time critical removal and adjust dates.